

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		different adj authentication adj methods bio\$7	US-PGPUB; USPAT; USOCR	AND	ON	2005/05/24 10:30
		(authoriz\$5 or authenticat\$4) secur\$4 key biometric password encrypt\$4 decrypt\$4 ((smart adj card) or IC or card) hash @ pd<="20020207"	US-PGPUB; USPAT; EPO; IBM_TDB	AND	ON	2005/05/23 17:36
L1	1	("6035398").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/05/24 17:41
L2	1	("6311272").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/05/24 18:19
L3	1	("5995630").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/05/24 18:20
L4	52	(authoriz\$5 or authenticat\$4) secur\$4 key biometric password encrypt\$4 decrypt\$4 ((smart adj card) or IC or card) hash @pd<="20020207" revers\$5	US-PGPUB; USPAT; EPO; IBM_TDB	AND	ON	2005/05/24 18:35
L5	1	("20030115142").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/05/24 18:35
S1	2	((("5229764") or ("5995630"))).PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/05/23 15:19
S2	5	((("5229764") or ("5995630") or ("6,052,468") or ("6,170,058") or ("6,230,272"))).PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/05/23 17:17
S3	7	((("5229764") or ("5995630") or ("6,052,468") or ("6,170,058") or ("6,230,272") or ("6498861") or ("6434259"))).PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/05/23 17:23
S4	4	((("6,193,153") or ("6,389,542") or ("6,580, 356") or ("5229764"))).PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/05/23 17:23
S5	10	((("5229764") or ("5995630") or ("6,052,468") or ("6,170,058") or ("6,230,272") or ("6498861") or ("6434259") or ("6,193,153") or ("6,389,542") or ("6,580,356") or ("5229764"))).PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/05/23 17:23
S6	0	((authoriz\$5 or authenticat\$4) secur\$4 key biomet ric password encrypt\$4 decrypt\$4 ((smart adj card) or (IC or card) hash)).PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/05/23 17:34

S7	503	(authoriz\$5 r authenticat\$4) secur\$4 key biometric password encrypt\$4 decrypt\$4 ((smart adj card) or IC or card) hash	US-PGPUB; USPAT; EPO; IBM_TDB	AND	ON	2005/05/23 17:35
S8	808	(authoriz\$5 or authenticat\$4) secur\$4 key biometric password encrypt\$4 decrypt\$4 ((smart adj card) or IC or card) hash	US-PGPUB; USPAT; EPO; IBM_TDB	AND	ON	2005/05/23 17:35
S9	102	(authoriz\$5 or authenticat\$4) secur\$4 key biometric password encrypt\$4 decrypt\$4 ((smart adj card) or IC or card) hash @pd<="20020207"	US-PGPUB; USPAT; EPO; IBM_TDB	AND	ON	2005/05/23 18:03
S11	13	(authoriz\$5 or authenticat\$4) secur\$4 key biometric password encrypt\$4 decrypt\$4 ((smart adj card) or IC or card) hash @pd<="20020207" revers\$5 with encrypt\$4	US-PGPUB; USPAT; EPO; IBM_TDB	AND	ON	2005/05/23 18:04
S12	3	S5 revers\$5	US-PGPUB; USPAT; EPO; IBM_TDB	AND	ON	2005/05/23 18:32
S13	4	((("6212634") or ("6182076") or ("5987232") or ("EP935221") or ("5615268"))).PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/05/23 18:53
S14	0	S13 revers\$5	US-PGPUB; USPAT; EPO; IBM_TDB	AND	ON	2005/05/23 18:33
S15	0	("EP935221").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/05/23 18:53
S16	0	("NAKAMURAHIROSHI").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/05/23 18:55
S17	3645	NAKAMURA HIROSHI	US-PGPUB; USPAT; EPO; IBM_TDB	AND	ON	2005/05/23 18:55
S18	11	NAKAMURA HIROSHI remote authentication	US-PGPUB; USPAT; EPO; IBM_TDB	AND	ON	2005/05/23 20:02
S19	1	((("6,389,542") or ("6,389,542"))).PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/05/23 20:02
S20	17188	key encrypt\$4 (multiple or different) authentica\$4	US-PGPUB; USPAT; EPO; IBM_TDB	AND	ON	2005/05/23 20:07
S21	287	key with encrypt\$4 with (multiple or different) with authentica\$4	US-PGPUB; USPAT; EPO; IBM_TDB	AND	ON	2005/05/23 20:07
S22	50	key with encrypt\$4 with (multiple or different) with authentica\$4 biometric	US-PGPUB; USPAT; EPO; IBM_TDB	AND	ON	2005/05/23 20:07

S23	43	key with encrypt\$4 with (multiple or different) with authenticat\$4 biometric password	US-PGPUB; USPAT; EPO; IBM_TDB	AND	ON	2005/05/23 20:07
S24	40	key with encrypt\$4 with (multiple or different) with authenticat\$4 biometric password card	US-PGPUB; USPAT; EPO; IBM_TDB	AND	ON	2005/05/23 20:10
S25	43	key with encrypt\$4 with (multiple or different or multilevel) with authenticat\$4 biometric password	US-PGPUB; USPAT; EPO; IBM_TDB	AND	ON	2005/05/23 20:11
S26	0	key with encrypt\$4 with multilevel with authenticat\$4 biometric password	US-PGPUB; USPAT; EPO; IBM_TDB	AND	ON	2005/05/23 20:11
S27	2	key with encrypt\$4 with (multi adj level) with authenticat\$4 biometric password	US-PGPUB; USPAT; EPO; IBM_TDB	AND	ON	2005/05/23 20:11
S28	2	key with encrypt\$4 with (multi adj level) with authenticat\$4	US-PGPUB; USPAT; EPO; IBM_TDB	AND	ON	2005/05/23 20:12
S29	152	(multi adj level) with authenticat\$4	US-PGPUB; USPAT; EPO; IBM_TDB	AND	ON	2005/05/23 20:12
S30	142	(multi adj level) with authenticat\$4 key	US-PGPUB; USPAT; EPO; IBM_TDB	AND	ON	2005/05/23 20:12
S31	139	(multi adj level) with authenticat\$4 key encryp\$4	US-PGPUB; USPAT; EPO; IBM_TDB	AND	ON	2005/05/23 20:12
S32	13	(multi adj level) with authenticat\$4 key encryp\$4 @pd<="20020207"	US-PGPUB; USPAT; EPO; IBM_TDB	AND	ON	2005/05/24 18:25
S33	698	authentict\$4 key password hash @pd<="20020702"	US-PGPUB; USPAT; EPO; IBM_TDB	AND	ON	2005/05/24 10:13
S34	33941	((("713") or ("380"))).CLAS.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/05/24 10:13
S35	458	S33 S34	US-PGPUB; USPAT; EPO; IBM_TDB	AND	ON	2005/05/24 10:14
S36	41	S33 S34.fing\$6	US-PGPUB; USPAT; EPO; IBM_TDB	AND	ON	2005/05/24 10:15
S37	13	("5229764" "5280527" "5613012" "5648648" "5784566" "5887131").PN. OR ("6167517").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/05/24 10:28
S38	9	different adj authentication adj method biometric	US-PGPUB; USPAT; USOCR	AND	ON	2005/05/24 13:09

S39	1	("6230272").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/05/24 13:50
S40	2	((("6230272") or ("6035398")).PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/05/24 13:51
S41	3	((("6230272") or ("6035398") or ("6125192")).PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/05/24 14:24
S42	4	((("5,839,956") or ("6,743,098") or ("6,846,238") or ("6,110,041")).PN. or ((2002/0021001) or (2002/0034321)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/05/24 14:25
S43	3	((("6,052,468") or ("6,170,058") or ("6,230,272")).PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/05/24 15:47
S44	4	((("6,052,468") or ("6,170,058") or ("6,230,272") or ("6035398")).PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/05/24 18:25
S45	1	("5995630").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/05/24 15:54